

Top Tips For

#Active Ostomates

# SWIMMING WHEN YOU HAVE A STOMA

by Tasha

## Find swimwear you are comfortable in

Finding swimwear that you feel comfortable in is possibly the most important and crucial part of being able to get back into the pool. If you feel comfortable in your swimwear, you will feel confident getting into the pool. Bright colours and patterned swimwear tend to make people feel more confident as it makes any outline of a bag less visible.

## Try your swimwear in a mirror

If you are still anxious, try your swimwear on in a mirror. This should make you realise that your bag won't be visible to other people in the water.

#### Does your bag need a filter cover?

Before you go swimming, you need to check if your bag needs a filter cover on the top. If it does, these stickers will come in you box that your bags arrive in. They are circle stickers that fit over the filter at the top of your bag. It prevents any water from entering the bag whilst you are in the pool.

#### Drying/Changing your bag after swimming

My biggest piece of advice would be to use a disabled changing room when you are getting dressed after your time in the pool. More often than not, these changing rooms will have either a hand dryer or a hair dryer that you will be able to use on your bag. Drying the bag for a minute or two will allow you to keep the bag in place if there is no output in it. If the bag needs changing, then just perform the change as you would if you were at home. Then pop the bag into one of the nappy bins provided in the changing rooms.

# Enjoy being in the water.

Last but by no means least, enjoy your time in the water. Beproud of yourself for overcoming an such a big obstacle. Just remember that nobody will see your bag so there is no need to be worried.

For more info on getting active with Colostomy UK visit ColostomyUK.org or call 0118 939 1537

www.ColostomyUK.org info@ColostomyUK.org Adminline: 0118 939 1537 Stoma helpline: 0800 328 4257 Registered charity no. 1113471



©Copyright Colostomy UK 2020. No part of this article may be produced without the prior permission of colostomy UK